"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

9 N. R. GOPALAKRISHNA, B.A., B.L.

"I intend moving the High Court of Mysore in Bangalore to enrol me as an Advocate thereof."

48 M. RAGHAVENDRA RAU, B.A., LL.B.

"I intend moving the High Court of Mysore at Bangalore to enrol me as an Advocate thereof".

49 S. S. RAMA MOORTY, B.A., B.L.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

50 B. G. ANNAIAH, B.A., LL.B.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

73 B. LEELA, B.A., B.L.

LOCAL SELF-GOVERNMENT SECRETARIAT.

Notification No. M. 17818—GM 41-52-2, dated 25th November 1952.

Sri Ghouse Khan, Cycle Orderly, General and Revenue Secretariat, Bangalore, is permitted to change his name to M. Abdul Sattar.

By Order of His Highness the Maharaja,

A. S. KHALEEL,
Secretary to Government,
63 *Local Self-Government Department.*

OFFICE OF THE DIRECTOR OF PUBLIC INSTRUCTION IN MYSORE, BANGALORE.

Sri G. Revanna, Officer of the Department of Public Instruction, Mysore State, is permitted in D.P.I.'s Memo No. 2793-277—52-53, dated 6th September 1952 to change his name *from* "G. Revanna" *to* "G. Renu" as desired by him.

J. B. MALLARADHYA,
72 *Director of Public Instruction.*

OFFICE OF THE DISTRICT EDUCATIONAL OFFICER, CHICKMAGALUR DISTRICT, CHICKMAGALUR.

Notification No. Gl. L. Dis. 965-95—52-3, dated 8th April 1953.

Sri H. S. Anantha Ramaiah, Head Master of the Government Kannada Boys' Middle School, Koppa, is permitted in D.P.I.'s Memo No. L. Dis. 5929-296—52-53, dated 18th March 1953 to change his name *from* "H. S. Anantha Ramaiah" *to* "H. S. Anantha Ram" as desired by him.

52 D. R. NARAYANA RAO, *District Educational Officer.*

OFFICE OF THE MYSORE PUBLIC SERVICE COMMISSION, "BALLABROOIE", PALACE ROAD, HIGH GROUNDS, BANGALORE.

Notification No. 418—53-54—*P.S.C.* 13-53-1, *dated* 11*th April* 1953.

In accordance with the Rule 15 of the Revised Rules of Recruitment, 1934, the approved "A" (General), "B" (Special) lists of eligible candidates, arranged in the relative order of preference, for appointment to the class and kind of service noted hereunder, is hereby published for information of the candidates.

Class of Appointment.—Class III.

Kind of Appointment.—Mistresses in Urdu Primary Girls' Schools.

Unit Officer.—The District Educational Officer, Hassan District, Hassan.

Add to the existing list :—(Notification No. 7830—P.S.C. 12-50-12, dated 2nd January 1951).

Sl. No. 34, Sydathunnisa, daughter of Sri Syed Abdul Jaleel, Retired School Master, Adrangi, Kudur Post, Magadi Taluk.

(and delete her name against Sl. No. 45, in the approved list issued to the unit of the District Educational Officer, Bangalore District, in this Office Notification No. 7820—P.S.C. 11-50-7, dated 2nd January 1951).

280 ———

Notification No. 481—53-54—*P.S.C.* 6-53-3, *dated* 15*th April* 1953.

Class of Appointment.—Class III.

Kind of Appointment.—Teachers in Kannada Boys' Primary Schools.

Unit Officer.—The Inspector of Schools, Civil Station, Bangalore.

"B" OR "SPECIAL" LIST.

Add to the List :—Netification No. 5077—P.S.C. 6-52-15, dated 5th September 1952.

Sl. No. 29, Sri M. Rudriah, Harihallipalya, Hessaraghatta Hobli, Bangalore North Taluk, Hessaraghatta Post.

(*and* delete his name assigned to Kannada Boys' Middle School approved list as Sl. No. 258-B, issued to District Educational Officer, Bangalore District, with this Office Notification No. 5492—52-3—P.S.C. dated 24th September 1952.)

S. DEVARAJ,
Secretary,
340 *Public Service Commission*

ENGINEERING DEPARTMENT.

OFFICE OF THE SPECIAL ENGINEER, HOUSES OF LEGISLATURE DIVISION, BANGALORE.

Notification.

Sealed tenders duly signed by the contractors will be received in the Office of the Special Engineer, Houses of Legislature Division, Old Residency Compound, Bangalore-1, up to 4 P.M. on 11th May 1953, for the following work:—

Name of work	Amount of estimate	Earnest money	Work to be completed by the end of	Monthly work progress
	Rs.	Rs.		Rs.
Construction of the Office of the Accountant-General, Mysore, Bangalore.	14,69,000	5,000	December 1954	50,000

1. The contractor shall quote for each individual item of work both in words and figures as per estimate and the rates shall hold good till the works are completed. The rates quoted shall include provision for payments of sales-tax, royalty or any tax due to Government. They should also include lead, lift, scaffolding, rehandling, centering, uncentering, watering and curing and tidying up. The Department will arrange for supply of water near about the work spot at Government cost.

2. For lumpsum provisions or for non-tendered items, the rates will be as per current minimum schedule of rates of the Buildings Division, Bangalore in the case of schedule items. For other items rates based on the data approved by the Executive Engineer, and arrived at as per above minimum current schedule of rates will be allowed.

3. No conditional clause will be accepted.

4. No cheques will be accepted for earnest money and no request for adjustment of amount due by the Government can be entertained.

5. It should be clearly noted on the cover whether the chellan for having credited the earnest money deposit or Mysore State Loan Bonds pledged in favour of undersigned is enclosed. If it is omitted the cover will not be opened, and rejected as it is.

6. Tenders should be accompanied by Treasury Chellan for having credited the earnest money under "Revenue Deposits". Chellan has to be got countersigned by the undersigned before being presented to the Treasury for remittance. After entrusting the work to the successful tenderer, the chellan enclosed by the other tenderers will be returned to them duly endorsed for refund. Refunds can be had from the Treasury where the amount was first deposited.

7. Plans, estimate and other particulars regarding rules etc., can be had for reference or information in the office of the undersigned on all working days between 2 P.M. and 4 P.M.

8. Printed tender forms can be had from the office of the undersigned on payment of Re. 0-4-0 per form. Tenders submitted in other than printed forms will be rejected.

9. The successful contractor shall bind himself to abide by the departmental rules and specifications in force and shall execute the necessary *mutchalika* within seven days from the date of intimation of acceptance of his tender, failing which his tender will be cancelled unconditionally and his earnest money will be forfeited.

10. The final acceptance or disposal of the tender in full or in parts or in any manner they like, will vest with the Government which is not bound to accept the lowest or any tender or assign any reason thereof.

11. The cost of material supplied by the Department owing to non-availability in the market or for other reasons will be recovered from the bills of the contractor at ledger or market rate, whichever is higher with usual percentage for centage.

12. Reserve and earnest money deposits will be repaid only at the time of settlement of final bill.

13. Tendered contractors will have to pay compensation as per Workmen's Compensation Act to workmen under their employment, injured, disabled or killed in or during the execution of work, failing which the amount will be deduced from the bills for payment to the injured or to the legal heirs of the deceased.

14. Quantities given in the notification and schedule are only approximate and are liable for alteration. No extra rate will be allowed for such alteration.

15. The work should not be sublet to others.

16. Lumpsum items of the estimate will not be taken into account while comparing cost.

17. Tenders submitted on percentage basis will be rejected.

18. Size stone, burnt stone jelly large and small should be collected as per samples approved by the Special Engineer.

19. For all disputes in regard to this work either of rate, quantities, design of execution processes, etc., the decision of the Chief Engineer, shall be legal and finally binding.

20. The contractor should bind himself for the good behavior of his agents, etc.,

21. Plan is subject to change.

22. Income-tax clearance certificate granted by the Income-tax Department will have to accompany the tender.

SCHEDULE OF QUANTITIES.

Sl. No.	*Items of work*	*Unit*	*Quantity*	*Rate*
1	Earthwork excavation for foundation in different soils and removing the excavated earth to a distance of 150′ and filling in the basement including watering and consolidation in layers of 6″ thick.	C.yd.	2,650	...
2	Granite jelly concrete (1″ to 1½″ size) in cement 1 : 3 : 6 for foundation laid in 4″ thick layers and well consolidated.	C.ft.	32,850	...
3	Providing R.C.C. raft foundations in soft soils with reinforcement up to 1½ per cent	,,	7,000	...
4	Granite size stone hammer dressed masonry in cement mortar 1 : 6 in courses of 9″ or 10″ thickness as per specifications with bond stones 6′ centre to centre with heating properly filled with size stones and mortar as per specifications.	,,	43,043	...
5	Granite size stone masonry for basement in cement mortar 1 : 6 with 9″ or 10″ courses with bond stones 6′ centre to centre, hammer dressed without brushes including quoin dressing 2″ width two lines, in corners. (Granite size stone should be got from approved quarry).	,,	12,460	...
6	(*a*) Granite stone slabs 6″ thick, set in cement mortar 1 : 6 including two line dressing for basement of outer walls and steps and one line dressing of other faces.	,,	4,954	...
	(*b*) Do with one line dressing for inner walls of basement ...	,,	3,560	...
7	(*a*) Cut stone pillars (Circular) of 20″ average diameter, 24′ high, with 3 line dressed including base and capital complete as per detailed design including hoisting, fixing for the ground floor. (Stone should be in two or four pieces of approved lengths and should be collected from approved quarry to maintain uniform required colour).	,,	6,240	...

Sl. No.	Items of work	Unit	Quantity	Rate
	(b) Providing, hoisting and fixing for the ground floor, cut stone circular pillars of 15″ diameter, 10′ high including base and capital 3 line dressed and finished as per design. (Stone should be in one piece and should be collected from approved quarry and required uniform colour should be maintained).	C.ft.	96	...
	(c) Providing, hoisting and fixing cut stone circular pillars of 12″ average diameter and 14′ long, including base and capital 3 line dressed and finished as per detailed design for 2nd floor (stone should be in two pieces and should be collected from approved quarry and required uniform colour should be maintained).	,,	1,430	...
	(d) Supplying, hoisting and fixing cut stone circular pillars of 20″ average diameter and 21′ height 3 line dressed including base and capital and finished as per design for the 1st and 2nd floor central projection (stone should be three pieces and should be collected from approved quarry and required uniform colour should be maintained).	,,	92	...
8	Granite size stone masonry for superstructure two line dressed for outer face and one line dressed for the other faces in cement mortar 1 : 6 in courses of 9″ or 10″ height with bond stones 6′ centre to centre as per specifications in all the floors (granite size stone should be got approved by the Special Engineer and one uniform colour on the outer side should be maintained).	,,	117,861	...
9	Granite size stone masonry hammer dressed in cement mortar 1 : 6 in courses of 9″ to 10″ with bond stones 6′ centre to centre for superstructure in all floors (cross walls).	,,	17,051	...
10	Burnt brick masonry in cement mortar 1 : 6 for ante rooms with bricks properly wetted for 12 hours.	,,	4,071	...
11	Partition walls 4½″ thick with wire cut bricks in cement mortar 1 : 3 including plastering in cement mortar 1 : 3 and fine lime finish.	S.ft.	1,670	...
12	(a) Teakwood doors 4′×8′, frame work 4″×6″ with 1½″ thick two leaves fully panelled shutters including cu-oxidised heavy brass fittings with brass hinges and padlocks, brass tower bolts, etc., complete as per design also cu-oxidised with necessary coats of polishing to glazed finish.	S.ft.	5,971	...
	(b) Teakwood doors 2½′×6½′ with 3″×4″ frame and 1¼″ thick shutters single leafed with padlocks as per design including necessary coats of Lac Polishing to glazed finish.	,,	829	...
13	Teakwood windows 5′×5′ with 3″×5″ frame work with 1¼″ thick shutters opening outside with cu-oxidised parliamentary hinges, brass hooks, rings, etc., complete as per design with two coats of painting of approved shade and quality.	,,	12,375	...
14	Teakwood ventilators for lavatories, with brass fittings cu-oxidised for G.F. with glazed shutters.	S.ft.	60	...
15	R.C.C. lintels 9″ or 10″ thick above doors and windows 1 : 2 : 4 as per approved specifications and reinforcement.	C.ft.	3,941	...
16	R.C.C. 1 : 2 : 4 perforated ventilators as per design 1½″ thick and 2″ thick by 2″ wide frame alround and 1 per cent reinforcement neatly finished as per design.	S.ft.	56	...
17	(i) Roofing with 6″ R.C.C. slabs 1 : 2 : 4 including centering, curing, etc., with cooling, plastering in composite mortar complete with top flooring with red oxide and plaster including necessary levelling course concrete or plaster and cutting tiles, etc. (ground floor and first floor).	Sqr.	595	...
	(ii) Roofing with 6″ R.C.C. slabs 1 : 2 : 4 with 3″ layers of brick kappi in quick lime and course of flat tiles in composite mortar and finally plastered at top laid to proper slope and ceiling plastering in composite mortar, etc., complete for the second floor.	,,	297	...
	(iii) Roofing with 8″ R.C.C. slab over the portico with two-way reinforcement with 3″ layer of brick kappi in quick-lime, two courses of flat tiles, plastered in composite mortar on top laid to proper slope and ceiling plaster in composite mortar complete, etc.	,,	250	...
18	R.C.C. chajja around the portico as per design (average thickness 4″).	S.ft.	145	...
19	R.C.C. beams reinforced as per design including centering, curing and finishing in plaster as per design.	C.ft.	21,150	...
20	R.C.C. stair case (1 : 2 : 4) with steps 12″ tread and 6″ rise and reinforcement as per design and sapping stinger.	S.ft.	1,320	...
21	Ornamental wrought iron railings 3′ high with 3″×4″ teakwood hand railings as per approved design including fixing and two coats of approved painting and polishing wood work (ground floor and first floor).	R.ft.	1,178	...
22	Cut stone railings as per design 1½′ thick and 3′ high with ballusters as per design for second floor.	,,	718	...
23	Cut stone parapet wall 18″ thick, 2′ high with central openings containing ballusters with coping stones all two-line dressed and with champerers, etc., as per design.	,,	1,704	...
24	(a) R.C.C. Cantilever 1 : 2 : 4 as per design for the balcony in II floor ...	S.ft.	100	...
	(b) Cut stone railings 3 line dressed, curved shape, finished as per design for the above balcony	C.ft.	28	...
25	(a) Flooring with baby jelly cement concrete 1 : 2 : 4 to 1½″ thickness over 6″ concrete 1 : 4 : 8 with 1¼″ jelly and ½″ to 3/8″ plaster and Shalimar dark red flooring of approved quality, polished and finished and cut to the required patterns where required	Sqr.	297	...
	(b) Flooring with Milk white glazed tiles and pointed with Plaster of Paris on a bed of 3″ thick 1 : 4 : 8 cement concrete for W.C.	,,	52	...

Sl. No.	Items of work	Unit	Quantity	Rate
26	Pointing to stone masonry walls and slabs with cement mortar 1 : 3 after scraping the joints 1″ deep and nicely lining (Lines should be of even thickness, horizontal at equal distances symmetrical	Sqr.	708	....
27	Plastering with chunam or 1 : 6 cement mortar and lime finish 1″ thick to masonry with 2 coats including rounding of all corners composite mortar and rendering lime	,,	866	....
28	White washing two coats	,,	866	...
29	Providing teakwood bordering patties of approved design 3″×½″, with necessary polishing and finish	R.ft.	...	....
30	Glazing is only with 1/8″ Pellington Pintreheaded glasses	...	...	...
31	Water bound distempering	Sqr.	...	....
32	Cement mortar dado for walls 10″ high the corner rounding and colouring ...	R.ft.	...	....
33	Coving for ceiling 10″ to 1½′ wide as per approved design	,,	...	....
34	Providing and fixing spring hinged screen shutters for doors	S.ft.	...	....

M. MUNIAPPA,
Special Engineer, Houses of Legislature Division.

OFFICE OF THE MYSORE PUBLIC SERVICE COMMISSION, "BALLABROOIE", PALACE ROAD, HIGH GROUNDS, BANGALORE.

Notification No. 421—53-54—*P.S.C.* 33-53-2, *dated* 13*th April* 1953.

It is hereby notified for the information of candidates seeking employment that the following vacancies will be filled up shortly. Intending candidates should submit their applications, in duplicate, in the prescribed form to the undersigned together with copies of testimonials, if any, on or before the date specified against each vacancy. Candidates in service should submit their applications through their official superiors and those applying for more than one vacancy should submit separate applications in duplicate in respect of each vacancy. Vacancies under "A" Class are open to candidates of all communities and the best qualified applicants for the same will generally be selected. Vacancies under "B" Class are reserved for candidates belonging to Backward Communities and the best qualified applicants from among them will generally be selected.

N.B.—(1) No notice will be taken of applications not submitted by the due date in the prescribed form or of those which, although in the prescribed form, do not furnish all the particulars required in the various columns or of those not referring to any specific vacancy advertised in the Gazette.

(2) The serial number of the vacancy applied for should be quoted at the top of the application in bold figures and applications should always be addressed to the Secretary, Mysore Public Service Commission, and not to his personal address by name.

(3) Intending candidates should also superscribe in block letters the envelopes and applications with the names of the vacancies or posts for which they apply.

(4) Candidates already in service, whether permanent or temporary, should apply through their official superiors. Applications received direct from such candidates will not be considered.

(5) Candidates must be Mysoreans by birth or domicile. Where an applicant claims to be a domiciled Mysorean, a certificate from a Gazetted Officer of the Mysore Service showing the ground for the claims should be enclosed.

(5a) Age limit.—Twenty-eight years for Backward Community candidates, 25 years for non-Backward Community candidates and 30 years for Depressed Class candidates.

(6) Those who pass the maximum age limit on 1st June 1953 will be considered as overaged. Their applications will be forwarded to the concerned Unit Officers in case candidates within the age limit are not available.

(7) Candidates who wish to have this office acknowledgment of the receipt of their applications should attach self-addressed and sufficiently stamped post cards to their applications.

(8) A fee of rupee one is prescribed for every application in duplicate. The fee should be remitted into a Government Treasury under the Head "XXXVI Miscellaneous 2 (vi) Public Service Commission Receipts" and the treasury receipt obtained therefor should be sent with the application.

(9) Candidates residing outside Mysore State should send this fee by uncrossed postal order. Mention regarding the number and date of the Postal Order should also be made in their application.

(10) The following particulars should be furnished in the last column of the existing application form:—

(i) Whether the prescribed fee of Re. 1 has been remitted into the Treasury and if so, the name and place of the Treasury to be clearly mentioned.

(ii) Whether the Treasury Receipt is attached.

(iii) Whether uncrossed postal order is attached and if so, the number and date of the postal order and the name of the Post Office to be mentioned.

(11) Under the heading "On what account" in the Treasury Receipt, the number and date of the Notification and the serial number of the vacancy should be given.

(12) No notice will be taken of the application in case the Treasury Receipt or the uncrossed postal order is not attached thereto.

(13) No cash payment or money order or cheque or crossed postal order or court-fee or revenue or postal stamp will be accepted.

(14) Depressed class candidates are exempted from payment of this fee.

(15) Separate application with separate fee required for each vacancy.

(16) Preference will be shown to ex-service candidates of the Mysore State Forces and retrenched officials, subject to other things being equal. They will be permitted to deduct the period of their service in the Mysore State Forces from their ages. They should send in their applications through the State Employment Exchange.

LAST DATE FOR RECEIVING APPLICATIONS: 1ST MAY 1953.

Sl. No.	Name of Office	Designation of appointment	Pay	Qualifications required of candidates	Duration
		CLASS I APPOINTMENTS.			
		VACANCIES OPEN TO ALL COMMUNITIES, PREFERENCE BEING GIVEN TO BACKWARD COMMUNITY CANDIDATES POSSESSING THE PRESCRIBED MINIMUM QUALIFICATION.			
5	Office of the Director of Public Instruction in Mysore, Bangalore.	Assistant Professor of Tarka, Maharaja's Sanskrit College, Mysore.	Rs. 60—5—100—6—130	Vidwat in Tarka ...	Permanent
		CLASS II APPOINTMENTS.			
		"A" OR "GENERAL" VACANCIES (OPEN TO ALL COMMUNITIES).			
6	Office of the Director of Public Instruction in Mysore, Bangalore.	Agricultural Instructor, Government Middle School, Mayakonda.	Rs. 50—5—100—10—150	L. Ag. ...	Permanent
7	Office of the Registrar, University of Mysore, Mysore.	Workshop Assistant, First Grade College, Mysore.	40—2—50—3—80	S.S.L.C. Course, Diploma in Mechanical Engineering knowing Lathe work, Carpentry and Casting.	Permanent.
		"B" OR "SPECIAL" VACANCIES (RESERVED FOR BACKWARD COMMUNITY CANDIDATES).			
8	Office of the Secretary, Central Board of Indian Medicine, Bangalore.	Junior Ayurvedic Physician, Sri Jayachamarajendra Institute of Indian Medicine, Bangalore.	Rs. 50—5—100	L.A.M.S. or any other equivalent Diploma of a recognised Ayurvedic College in India.	Permanent.
		CLASS III APPOINTMENTS.			
		"B" OR "SPECIAL" VACANCIES (RESERVED FOR BACKWARD COMMUNITY CANDIDATES).			
9	Office of the Chief Conservator of Forests in Mysore, Bangalore.	Carpenter, Forest Research Laboratory, Bangalore.	Rs. 35—2—55	Practical experience of Carpentry work in Laboratory.	Permanent.